


Fusetron

Dual-Element, Time-Delay Plug Fuse

Type TC




DESIGNED TO:
 CARRY 110% OF RATING FOR 4 HOURS MIN.
 OPEN AT 135% OF RATING WITHIN 1 HOUR.
 OPEN AT 200% OF RATING BETWEEN 12 SECONDS MIN. AND 120 SECONDS MAX.

CATALOG SYMBOL: TC
 DUAL-ELEMENT, TIME DELAY
 15, 20, 25, & 30 AMPERES
 125 VOLTS AC OR LESS
 CSA CERTIFIED
 (CLASS 1423-01, FILE # 53787)

- "D" rating for Canadian applications.
- These fuses thread into fuse receptacles.
- The threads are Edison base.
- Heavy Duty TC fuses are industrial strength products, featuring Bussmann's exclusive Dual-Element construction.
- This spring loaded design provides superior short circuit and overload protection.
- The TC fuses have more time-delay than the medium duty fuses in order to better protect industrial motors and optical residential circuits.

Time-Current Characteristic Curves—Average Melt



The only controlled copy of this BIF document is the electronic read-only version located on the Bussmann Network Drive. All other copies of this BIF document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.